
ROXOR

Sales Code: CLC125H Description: 600 F/S 2-Door Unit & Basin 0Th






Packaging Details

Barcode: 5056678432747

Sales Code: CLA125 Description: 600 F/S 2-Door Unit (800X600x453)






800 600 453 25.3	
453 25.3 835	
25.3 835	
835	
625	
480	
25.8	
Brown Cardboard Box	
1	
100 x 50	
White Label	
2	
licable)	
neuble)	
5056462643144	
3030402043144	
China	
No	
N/A	
Yes	
Satin White	
Cam & Wood Dowel	
Rigid	
MFC Painted Matt	
Mdf Painted Matt	
18	
18	
No	
Not Applicable	
1	
95 Degree Clip-On Soft Close	
Yes, Supplied	
No, Not Required	
Yes	
Traditional	
Not Applicable	
Yes, Supplied	

Sales Code: CBM513 Description: 600 Classic Basin (640X472x185) 0Th





Product Dimer	neione			
	1510115	100		
Height (mm):		190		
Width (mm):		630		
Depth (mm):		471		
Nett Weight (kg):		17		
Packaging Din	nensions			
Height (mm):		490		
Width (mm):		650		
Depth (mm):	pth (mm):			
Gross Weight (kg	:):	17.3		
Packaging Dat	a			
Box Colour:		Brown Card	board Box - Printed	
Box Qty:		1		
Label Size:		100 x 50		
Label Colour:		White Label	<u>l</u>	
Label Qty:		2		
Outer Box Din	nensions (If Appl	licable)		
Height (mm):				
Width (mm):				
Depth (mm):				
Gross Weight (kg	:):			
Barcode:		5056678431	.191	
Product Detail	ls			
Country of Origin	1:	Utd.Arab.En	nir.	
Fitting Instruction	1:	No		
Certification: CE	& UKCA: No	WRAS: N/A	WRAS No: N/A	
Product Material:		Fireclay		
Fixing Supplied:		No		
Pans/Bidets:	Trap Style: N/A		Includes Seat: Not Applicable	
Seats:	Seat Type: N/A		Material: Not Applicable	
- Secretary		plicable	Hinge Type: Not Applicable	
Hinge Material: Not Applical				
	<i>y</i>	renppheaste		
Cisterns:	rns: Operating Type: Not Applicable Fittings: Not Applicable			
Cisterns:	Operating Type: Not Applicable Fittings: Not Applicable Lever Type: Not Applicable			
	Level Type. Not A	ррисавіе		
Basins:	Tap Hole: Not App	olicable	Chain Stay Hole: No	
	Template: Not Req		Waste Type Req: Slotted	
Overflow Inc: Yes			Overflow Cover: Yes	
	Inner Bowl Depth (mm): 135 mi		
	miles Bows Beput (). 133 1111		